

Oil Pattern Distance	43	Reverse Brush Drop	38	Oil Per Board	50 ul
Forward Oil Total	16.65 mL	Reverse Oil Total	8.35 mL	Volume Oil Total	25 mL
Tank Configuration	Only A	Tank A Conditioner	infinity	Tank B Conditioner	infinity

	START	STOP	LOADS	MICS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	50	14	3	148	0.0	5.9	5.9	7400
2	6L	6R	1	50	18	3	29	5.9	8.4	2.5	1450
3	8L	8R	2	50	18	3	50	8.4	13.5	5.1	2500
4	10L	10R	2	50	18	3	42	13.5	18.6	5.1	2100
5	12L	12R	2	50	18	3	34	18.6	23.7	5.1	1700
6	13L	13R	2	50	22	3	30	23.7	29.9	6.2	1500
7	2L	2R	0	50	22	3	0	29.9	38.0	8.1	0
8	2L	2R	0	50	30	3	0	38.0	43.0	5.0	0

	START	STOP	LOADS	MICS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	50	30	3	0	43.0	28.0	-15.0	0
2	14L	14R	2	50	22	3	26	28.0	21.8	-6.2	1300
3	13L	13R	2	50	18	3	30	21.8	16.7	-5.1	1500
4	11L	11R	2	50	18	3	38	16.7	11.6	-5.1	1900
5	9L	9R	2	50	18	3	46	11.6	6.5	-5.1	2300
6	7L	7R	1	50	14	3	27	6.5	4.6	-1.9	1350
7	2L	2R	0	50	14	3	0	4.6	0.0	-4.6	0

Cleaner Ratio Main Mix 5:1 Forward  
 Cleaner Ratio Back End Mix 5:1 Reverse  
 Cleaner Ratio Back End Distance 59 Combined  
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	4.78	1.83	1.02	1.02	1.83	4.78

