

Oil Pattern Distance	46	Reverse Brush Drop	44	Oil Per Board	50 ul
Forward Oil Total	11.55 mL	Reverse Oil Total	18.7 mL	Volume Oil Total	30.25 mL
Tank Configuration	A Only	Tank A Conditioner	Kegel	Tank B Conditioner	Kegel

	START	STOP	LOADS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	2	14	3	74	0.0	1.9	1.9	3700
2	5L	5R	1	18	3	31	1.9	4.4	2.5	1550
3	5L	5R	2	22	3	62	4.4	10.6	6.2	3100
4	10L	10R	2	22	3	42	10.6	16.8	6.2	2100
5	15L	15R	2	22	3	22	16.8	23.0	6.2	1100
6	2L	2R	0	18	3	0	23.0	35.0	12.0	0
7	2L	2R	0	22	3	0	35.0	40.0	5.0	0
8	2L	2R	0	22	3	0	40.0	46.0	6.0	0

	START	STOP	LOADS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	3	0	46.0	43.0	-3.0	0
2	15L	15R	3	18	3	33	43.0	35.4	-7.6	1650
3	10L	10R	3	18	3	63	35.4	27.8	-7.6	3150
4	5L	5R	3	18	3	93	27.8	20.2	-7.6	4650
5	2L	2R	5	18	3	185	20.2	7.5	-12.7	9250
6	2L	2R	0	18	3	0	7.5	0.0	-7.5	0

Cleaner Ratio Main Mix NA Forward  
 Cleaner Ratio Back End Mix NA Reverse  
 Cleaner Ratio Back End Distance NA Combined  
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.17	1.44	1.1	1.1	1.44	2.17

